Connecting via Winsock to STN

Welcome'to STN International! Enter x:x

LOGINID: ssspta1503sxd

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

```
NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
NEWS 2 "Ask CAS" for self-help around the clock
NEWS 3 FEB 25 CA/CAPLUS - Russian Agency for Patents and Trademarks
(ROSPATENT) added to list of core patent offices covered
NEWS 4 FEB 28 PATDPAFULL - New display fields provide for legal status
data from INPADOC
NEWS 5 FEB 28 BABS - Current-awareness alerts (SDIs) available
NEWS 6 FEB 28 MEDLINE/LMEDLINE reloaded
NEWS 7 MAR 02 GBFULL: New full-text patent database on STN
NEWS 8 MAR 03 REGISTRY/ZREGISTRY - Sequence annotations enhanced
NEWS 9 MAR 03 MEDLINE file segment of TOXCENTER reloaded
NEWS 10 MAR 22 KOREAPAT now updated monthly; patent information enhanced
NEWS 11 MAR 22 Original IDE display format returns to REGISTRY/ZREGISTRY
NEWS 12 MAR 22 PATDPASPC - New patent database available
NEWS 13 MAR 22 REGISTRY/ZREGISTRY enhanced with experimental property tags
NEWS 14 APR 04 EPFULL enhanced with additional patent information and new
fields
NEWS 15 APR 04 EMBASE - Database reloaded and enhanced
```

NEWS EXPRESS JANUARY 10 CURRENT WINDOWS VERSION IS V7.01a, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 10 JANUARY 2005

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS INTER General Internet Information
NEWS LOGIN Welcome Banner and News Items
NEWS PHONE Direct Dial and Telecommunication Network Access to STN
NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 11:25:45 ON 07 APR 2005

=> file uspatfull
COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION

CA INDEXING IS CURRENT THROUGH 5 Apr 2005 (20050405/UPCA) ISSUE CLASS FIELDS (/INCL) CURRENT THROUGH: 5 Apr 2005 (20050405/PD) REVISED CLASS FIELDS (/NCL) LAST RELOADED: Feb 2005

USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Feb 2005

>>> USPAT2 is now available. USPATFULL contains full text of the <<< >>> original, i.e., the earliest published granted patents or <<< >>> applications. USPAT2 contains full text of the latest US <<< >>> publications, starting in 2001, for the inventions covered in <<< >>> USPATFULL. A USPATFULL record contains not only the original <<< >>> published document but also a list of any subsequent <<< >>> publications. The publication number, patent kind code, and <<< >>> publication date for all the US publications for an invention <<< >>> are displayed in the PI (Patent Information) field of USPATFULL <<< >>> records and may be searched in standard search fields, e.g., /PN, <<< >>> /PK, etc. >>> USPATFULL and USPAT2 can be accessed and searched together <<< >>> through the new cluster USPATALL. Type FILE USPATALL to <<< >>> enter this cluster. <<<

>>> <<< >>> Use USPATALL when searching terms such as patent assignees, <<< >>> classifications, or claims, that may potentially change from <<< >>> the earliest to the latest publication. <<<

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s us6375937/pn1 US6375937/PN

=> s emulsion?

207660 EMULSION? L2

=> s l1 and l2

T.3 1 L1 AND L2

=> d kwic

ANSWER 1 OF 1 USPATFULL on STN

PΙ US 6375937 B1 20020423

SUMM . . . gels, liquids (such as are suitable for roll-on products), and aerosols. The forms of these products may be suspensions or

DETD . . . as described below. The internal phase is added to the external phase very slowly while stirring at to form an emulsion. After the addition has been completed, the mixture is stirred at higher speed to achieve a homogeneous mixture. The final formula viscosity is then achieved by homogenizing the emulsion under either batch or continuous process conditions as described below. The fragrance may be added at any time during the.

Preparation of the Emulsion:

TABLE E

```
An other method of homogenization of the final product is to pass the
       emulsion through a colloid mill such as a Sonic Tri-Homo Colloid
       Mill or a process sonolator such Sonic Production Sonolator 200-30.
DETD
             . D5 cyclomethicone--elastomer described in U.S. Pat. No.
       6,060,546). The Control Stick Example was Lady Speed Stick. The data
       shows that emulsion of the invention has conductivity as good
       as or better than the stick.
=> s oil?
L4 596865 OIL?
=> s 11 and 14
            1 L1 AND L4
=> d kwic
   ANSWER 1 OF 1 USPATFULL on STN
                   B1 20020423
     US 6375937
                                                                   <--
DETD . . . of water drop- 5.03 1.3 5.4 4.8 3.1
let after spreading (cm)
Conductivity at 10 4526 547 4511 4842 3554
seconds (micro Siemens)
% oil phase 30 70 32 30 30
DETD
     . . . #1 Stick #1 Gel #2
Diameter of water droplet after 0.87 1.7 1.2
spreading (cm)
Conductivity at 10 seconds 154 1627 295
(micro Siemens)
% oil phase 30 (suspension) 20
=> s oil(p)water?
        549667 OIL
       1229156 WATER?
L6
       245721 OIL(P)WATER?
=> s 16 and 11
        1 L6 AND L1
=> d kwic
    ANSWER 1 OF 1 USPATFULL on STN
PΙ
      US 6375937
                    B1 20020423
                                                                   <--
DETD
TABLE D
Property Ex. 22 Ex. 26 Ex. 29 Ex. 32 Ex. 33
Diameter of water drop- 5.03 1.3 5.4 4.8 3.1
let after spreading (cm)
Conductivity at 10 4526 547 4511 4842 3554
seconds (micro Siemens)
% oil phase 30 70 32 30 30
DETD
```

=> d 1-11 ibib abs

```
Control Control
Property Gel #1 Stick #1 Gel #2
Diameter of water droplet after 0.87 1.7 1.2
spreading (cm)
Conductivity at 10 seconds 154 1627 295
(micro Siemens)
% oil phase 30 (suspension) 20
=> s antiperspirant? or deodorant?
          3301 ANTIPERSPIRANT?
          9658 DEODORANT?
L8
         10653 ANTIPERSPIRANT? OR DEODORANT?
=> s aluminum zirconium salt?
        578707 ALUMINUM
         75775 ZIRCONIUM
        546244 SALT?
L9
           140 ALUMINUM ZIRCONIUM SALT?
                 (ALUMINUM(W) ZIRCONIUM(W) SALT?)
=> s 18 and 19
          135 L8 AND L9
L10
=> s 18/ti
           415 ANTIPERSPIRANT?/TI
           475 DEODORANT?/TI
L11
           805 (ANTIPERSPIRANT?/TI OR DEODORANT?/TI)
=> s 111 and 110
L12
        69 L11 AND L10
=> s oil-in-water or water-in-oil
        549667 OIL
       1201547 WATER
         52428 OIL-IN-WATER
                (OIL(1W)WATER)
       1201547 WATER
        549667 OIL
         44314 WATER-IN-OIL
                 (WATER(1W)OIL)
L13
        73098 OIL-IN-WATER OR WATER-IN-OIL
=> s 112 and 113
          29 L12 AND L13
=> s glycine?
        80894 GLYCINE?
L15
=> s 114 and 115
L16
          27 L14 AND L15
=> s HPLC
L17
       83861 HPLC
=> s 116 and 117
           11 L16 AND L17
```

L18 ANSWER 1 OF 11 USPATFULL on STN

ACCESSION NUMBER: 2005:43242 USPATFULL

TITLE: Enhanced efficacy antiperspirant compositions

containing strontium

INVENTOR(S): Shen, Yan-Fei, Canton, MA, UNITED STATES

PATENT ASSIGNEE(S): The Gillette Company (U.S. corporation)

NUMBER KIND DATE ______ PATENT INFORMATION:

US 2005036968 A1 20050217 US 2003-641348 A1 20030814 (10) APPLICATION INFO.:

DOCUMENT TYPE: Utility FILE SEGMENT: APPLICATION

LEGAL REPRESENTATIVE: PATENT AND TRADEMARK COUNSEL, THE GILLETTE COMPANY, 800

BOYLSTON STREET, BOSTON, MA, 02199

NUMBER OF CLAIMS: 2.0

EXEMPLARY CLAIM: CLM-01-71

LINE COUNT: 772

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The present invention relates to enhanced efficacy antiperspirant salts containing strontium and an amino acid or a hydroxy acid and particularly to stabilized aqueous solutions of such salts. The present invention also embraces methods of making these antiperspirant salts and solutions and compositions containing

same.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L18 ANSWER 2 OF 11 USPATFULL on STN

ACCESSION NUMBER: 2005:43241 USPATFULL

TITLE: Enhanced efficacy antiperspirant compositions

containing strontium or calcium

INVENTOR(S): Allen, Jan L., Silver Spring, MD, UNITED STATES

Shen, Yan-Fei, Canton, MA, UNITED STATES

PATENT ASSIGNEE(S): The Gillette Company (U.S. corporation)

NUMBER KIND DATE -----US 2005036967 A1 20050217 US 2003-641305 A1 20030814 (10) PATENT INFORMATION: APPLICATION INFO.:

DOCUMENT TYPE: Utility FILE SEGMENT: APPLICATION

LEGAL REPRESENTATIVE: PATENT AND TRADEMARK COUNSEL, THE GILLETTE COMPANY, 800

BOYLSTON STREET, BOSTON, MA, 02199

NUMBER OF CLAIMS: 16 EXEMPLARY CLAIM: 1 LINE COUNT: 409

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

Disclosed are enhanced efficacy antiperspirant compositions containing a strontium salt and/or a calcium salt. In particular, there is disclosed an antiperspirant composition comprising a dermatologically acceptable carrier vehicle, about 8% to about 22% (USP) of an aluminum-zirconium chlorohydrate-gly antiperspirant salt, wherein the antiperspirant salt has an HPLC peak 5 area of at least 33%, and about 0.5% to about 15%, preferably about 1% to about 6%, by weight, of a water soluble salt selected from the group consisting of a water soluble strontium salt, a water soluble calcium salt and a mixture thereof It has been found that the inclusion of a strontium salt and/or a calcium salt boosts the efficacy of a high

peak 5 antiperspirant salt. As a preferred feature, the

antiperspirant salt and the water soluble salt are dissolved in at least a portion of the carrier vehicle.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L18 ANSWER 3 OF 11 USPATFULL on STN

ACCESSION NUMBER: 2004:177770 USPATFULL

TITLE: Aluminum-zirconium antiperspirant salts with

low M:Cl ratio

Carrillo, Angel L., Wellesley, MA, UNITED STATES Oryszczak, Richard, Palatine, IL, UNITED STATES INVENTOR(S):

Shen, Yan-Fei, Canton, MA, UNITED STATES

PATENT ASSIGNEE(S): The Gillette Company (U.S. corporation)

NUMBER KIND DATE US 2004136934 A1 20040715 PATENT INFORMATION:

US 2003-700026 A1 20031103 (10) APPLICATION INFO.:

Continuation of Ser. No. US 2002-138476, filed on 3 May RELATED APPLN. INFO.: 2002, GRANTED, Pat. No. US 6649152 Continuation of Ser.

No. US 2000-696271, filed on 25 Oct 2000, GRANTED, Pat.

No. US 6436381

DOCUMENT TYPE: Utility FILE SEGMENT: APPLICATION

LEGAL REPRESENTATIVE: PATENT AND TRADEMARK COUNSEL, THE GILLETTE COMPANY, 800

BOYLSTON STREET, BOSTON, MA, 02199

NUMBER OF CLAIMS: 21 EXEMPLARY CLAIM: 1

NUMBER OF DRAWINGS: 1 Drawing Page(s)

LINE COUNT: 642

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

Disclosed are enhanced efficacy aluminum-zirconium

antiperspirant salt compositions that have a metal (Al+Zr) to chloride (or anion) ratio of about 0.90 to about 1.00. These salts also typically exhibit an HPLC peak 5 area content of about 33% or more, preferably at least 45%, more preferably at least 50%, most preferably at least 55%. Especially preferred are aluminum-zirconium antiperspirant salt compositions which, in addition to the aforementioned high peak 5 content, also exhibit an HPLC peak 4 to peak 3 area ratio of at least 0.4, preferably at least 0.7. Also disclosed are methods of making such antiperspirant salt compositions and aqueous solutions of such antiperspirant salt compositions. Further disclosed are topical compositions comprising a dermatologically acceptable carrier vehicle and a perspiration reducing effective amount of an aluminum-zirconium antiperspirant salt composition as described above.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L18 ANSWER 4 OF 11 USPATFULL on STN

ACCESSION NUMBER: 2004:126430 USPATFULL

TITLE: Multi-portion antiperspirant composition

INVENTOR(S): Elliott, David L., North Attleboro, MA, UNITED STATES

> Colwell, Dennis J., Mansfield, MA, UNITED STATES Sane, Jayant N., Framingham, MA, UNITED STATES

Vu, Tuan M., Canton, MA, UNITED STATES

Galante, Cheryl Lynn, Marshfield, MA, UNITED STATES

PATENT ASSIGNEE(S): The Gillette Company (U.S. corporation)

NUMBER KIND DATE

PATENT INFORMATION: US 2004096408

A1 20040520 US 2002-298113 APPLICATION INFO.: A1 20021115 (10)

DOCUMENT TYPE: Utility FILE SEGMENT: APPLICATION

LEGAL REPRESENTATIVE: PATENT AND TRADEMARK COUNSEL, THE GILLETTE COMPANY, 800

BOYLSTON STREET, BOSTON, MA, 02199

NUMBER OF CLAIMS: EXEMPLARY CLAIM:

NUMBER OF DRAWINGS: 1 Drawing Page(s)

LINE COUNT: 728

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

Disclosed is a non-flowable anhydrous topical antiperspirant composition comprising a first portion and a second portion contiguous with the first portion. The first portion is semi-opaque to opaque and comprises a first hydrophobic carrier vehicle and a first gellant and has a particulate antiperspirant active suspended therein. The second portion is translucent to transparent and comprises a second hydrophobic carrier vehicle and a second gellant. Preferably, the second hydrophobic carrier vehicle has an average refractive index that approximately matches the refractive index of the second gellant. Ideally, for greater translucency the second portion will be substantially free of antiperspirant salt and/or other opacifying materials. Preferably, the first hydrophobic carrier vehicle also has an average refractive index that approximately matches the refractive index of the first gellant. Even more preferably, the second hydrophobic carrier vehicle and second gellant are comprised of substantially the same materials in substantially the same proportions as the first hydrophobic carrier vehicle and first gellant.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L18 ANSWER 5 OF 11 USPATFULL on STN

ACCESSION NUMBER: 2003:29815 USPATFULL

Aluminum-zirconium antiperspirant salts with TITLE:

high peak 5 Al content

Carrillo, Angel L., Wellesley, MA, UNITED STATES Oryszczak, Richard, Palatine, IL, UNITED STATES

Shen, Yan-Fei, Canton, MA, UNITED STATES

PATENT ASSIGNEE(S): The Gillette Company (U.S. corporation)

NUMBER KIND DATE -----US 2003021757 A1 20030130 US 6649152 B2 20031118 US 2002-138476 A1 20020503 PATENT INFORMATION: APPLICATION INFO .: (10)

RELATED APPLN. INFO.: Continuation of Ser. No. US 2000-696271, filed on 25

Oct 2000, GRANTED, Pat. No. US 6436381

DOCUMENT TYPE: Utility FILE SEGMENT: APPLICATION

LEGAL REPRESENTATIVE: PATENT AND TRADEMARK COUNSEL, THE GILLETTE COMPANY, 800

BOYLSTON STREET, BOSTON, MA, 02199

NUMBER OF CLAIMS: 29 EXEMPLARY CLAIM:

INVENTOR(S):

NUMBER OF DRAWINGS: 1 Drawing Page(s)

LINE COUNT: 669

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

Disclosed are enhanced efficacy aluminum-zirconium antiperspirant salt compositions which exhibit an HPLC peak 5 area content of about 33% or more, preferably at least 45%, more preferably at least 50%, most preferably at least 55%. Especially preferred are aluminum-zirconium antiperspirant salt

compositions which, in addition to the aforementioned high peak 5 content, also exhibit an HPLC peak 4 to peak 3 area ratio of at least 0.4, preferably at least 0.7. The aforementioned salt compositions will preferably have a metal (Al+Zr) to chloride (or anion) ratio of about 0.90 to about 1.00. Also disclosed are methods of making such antiperspirant salt compositions and aqueous solutions of such antiperspirant salt compositions. Further disclosed are topical compositions comprising a dermatologically acceptable carrier vehicle and a perspiration reducing effective amount of an aluminum-zirconium antiperspirant salt composition as described above.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L18 ANSWER 6 OF 11 USPATFULL on STN

2002:209099 USPATFULL ACCESSION NUMBER:

TITLE:

Aluminum-zirconium antiperspirant salts with high peak 5 al content

INVENTOR(S): Carrillo, Angel L., Wellesley, MA, United States

Oryszczak, Richard, Palatine, IL, United States

Shen, Yan-Fei, Canton, MA, United States

PATENT ASSIGNEE(S): The Gillette Company, Boston, MA, United States (U.S.

corporation)

NUMBER KIND DATE ______ PATENT INFORMATION: US 6436381 B1 20020820 US 2000-696271 20001025 APPLICATION INFO.: 20001025 (9)

DOCUMENT TYPE: Utility FILE SEGMENT: GRANTED

PRIMARY EXAMINER: Badio, Barbara P. LEGAL REPRESENTATIVE: Williams, Stephan P.

NUMBER OF CLAIMS: 40 EXEMPLARY CLAIM:

NUMBER OF DRAWINGS: 2 Drawing Figure(s); 1 Drawing Page(s)

LINE COUNT: 685

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB Disclosed are enhanced efficacy aluminum-zirconium antiperspirant salt compositions which exhibit an HPLC peak 5 area content of about 33% or more. Especially preferred are aluminum-zirconium antiperspirant salt compositions which, in addition to the aforementioned high peak 5 content, also exhibit an HPLC peak 4 to peak 3 area ratio of at least 0.4. The aforementioned salt compositions will preferably have a metal (Al+Zr) to chloride (or anion) ratio of about 0.90 to about 1.00. Also disclosed are methods of making such antiperspirant salt compositions and aqueous solutions of such antiperspirant salt compositions. Further disclosed are topical compositions comprising a dermatologically acceptable carrier vehicle and a perspiration reducing effective amount of an aluminum-zirconium antiperspirant salt composition as described above.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L18 ANSWER 7 OF 11 USPATFULL on STN

ACCESSION NUMBER: 2002:87982 USPATFULL

TITLE: Antiperspirant and deodorant

compositions containing a low molecular weight

polyethylene gellant

INVENTOR(S): Clothier, Jr., James G., Boston, MA, United States Carlson, Sr., Jeffrey R., Pembroke, MA, United States Colwell, Dennis J., Mansfield, MA, United States

PATENT ASSIGNEE(S): The Gillette Company, Boston, MA, United States (U.S.

corporation)

PATENT INFORMATION: US 6375938 B1 20020423 APPLICATION INFO.: US 2001-842560 20010426 (9)

DOCUMENT TYPE: Utility FILE SEGMENT: GRANTED

PRIMARY EXAMINER: Dodson, Shelley A. LEGAL REPRESENTATIVE: Williams, Stephan P.

NUMBER OF CLAIMS: 24 EXEMPLARY CLAIM: 1

NUMBER OF DRAWINGS: 0 Drawing Figure(s); 0 Drawing Page(s)

LINE COUNT: 563

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The present invention embraces an anhydrous topical antiperspirant or deodorant composition comprising an

antiperspirant or deodorant composition complishing an antiperspirant or deodorant active, a dermatologically acceptable volatile silicone liquid carrier vehicle and a polyethylene homopolymer dissolved in the vehicle to serve as a thickening or

weight of about 200 to about 800 daltons, preferably about 300 to about 600 daltons, most preferably about 400 to about 500 daltons. The composition should be substantially free of any other organic or natural waxes. The present invention also embraces a method of inhibiting or reducing perspiration or a method of inhibiting or reducing malodor by topically applying an effective amount of such an antiperspirant

solidifying agent, wherein the polyethylene homopolymer has a molecular

composition or deodorant composition to the skin.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L18 ANSWER 8 OF 11 USPATFULL on STN

ACCESSION NUMBER: 2001:86029 USPATFULL

TITLE: Enhanced antiperspirant salts stabilized with

calcium and concentrated aqueous solutions of such

salts

INVENTOR(S): Shen, Yan-Fei, Canton, MA, United States

PATENT ASSIGNEE(S): The Gillette Company, Boston, MA, United States (U.S.

corporation)

NUMBER KIND DATE

PATENT INFORMATION: US 6245325 B1 20010612 APPLICATION INFO.: US 1999-435183 19991105 (9)

RELATED APPLN. INFO.: Continuation of Ser. No. WO 1999-US17780, filed on 5

Aug 1999 Continuation-in-part of Ser. No. US

1998-136823, filed on 19 Aug 1998, now patented, Pat.

No. US 6042816

DOCUMENT TYPE: Utility FILE SEGMENT: GRANTED

PRIMARY EXAMINER: Williamson, Michael A LEGAL REPRESENTATIVE: Williams, Stephen P.

NUMBER OF CLAIMS: 27 EXEMPLARY CLAIM: 1 LINE COUNT: 921

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The present invention relates to enhanced efficacy

antiperspirant salts containing calcium and an amino acid or a

hydroxy acid and particularly to stabilized aqueous solutions of such

salts. The present invention also embraces methods of making these antiperspirant salts and solutions and compositions containing same.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L18 ANSWER 9 OF 11 USPATFULL on STN

ACCESSION NUMBER: 2000:37374 USPATFULL

TITLE: Enhanced antiperspirant salts stabilized with

calcium and concentrated aqueous solutions of such

salts

INVENTOR(S): Shen, Yan-Fei, Canton, MA, United States

PATENT ASSIGNEE(S): The Gillette Company, Boston, MA, United States (U.S.

corporation)

NUMBER KIND DATE PATENT INFORMATION: US 6042816 20000328 APPLICATION INFO.: US 1998-136823 19980819 (9) DOCUMENT TYPE: Utility

DOCUMENT TYPE: FILE SEGMENT:

Granted PRIMARY EXAMINER: Williamson, Michael A.

LEGAL REPRESENTATIVE: Williams, Stephan P.

NUMBER OF CLAIMS: 40

EXEMPLARY CLAIM: 1 LINE COUNT: 1020

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

The present invention relates to enhanced efficacy antiperspirant salts containing calcium and an amino acid or a hydroxy acid and particularly to stabilized aqueous solutions of such salts. The present invention also embraces methods of making these antiperspirant salts and solutions and compositions containing same.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L18 ANSWER 10 OF 11 USPATFULL on STN

ACCESSION NUMBER: 1999:113353 USPATFULL

TITLE: Antiperspirant compositions containing

calcium salts

INVENTOR(S): Thong, Stephen Hong-Kwee, Needham, MA, United States

Weber, Teresa M., Bethesda, MD, United States Prodouz, Kristina N., Boston, MA, United States

PATENT ASSIGNEE(S): The Gillette Company, Boston, MA, United States (U.S.

corporation)

NUMBER KIND DATE -----

PATENT INFORMATION: US 5955065 19990921
APPLICATION INFO.: US 1998-136770 19980819 (9)
DOCUMENT TYPE: Utility

DOCUMENT TYPE: Utility
FILE SEGMENT: Granted
PRIMARY EXAMINER: Dodson, Shelley A.

LEGAL REPRESENTATIVE: Williams, Stephan P.

NUMBER OF CLAIMS: 21 EXEMPLARY CLAIM: LINE COUNT: 510

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

The present invention embraces antiperspirant compositions with improved efficacy. These compositions contain an aluminum or aluminum-zirconium antiperspirant salt and a water soluble

calcium salt, both of which are suspended in a dermatologically acceptable anhydrous carrier vehicle. The present invention also embraces a method of inhibiting or reducing perspiration by topically applying an effective amount of such an antiperspirant composition to the skin.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L18 ANSWER 11 OF 11 USPATFULL on STN

ACCESSION NUMBER: 1999:81530 USPATFULL

TITLE: Clear antiperspirant or deodorant

gel composition with volatile linear silicone to reduce

staining

INVENTOR(S): Karassik, Nancy M., Concord, MA, United States

Angelone, Jr., Philip P., Wilmington, MA, United States

Boyle, Patricia Riley, Stow, MA, United States Di Domizio, Patricia, Malden, MA, United States

Galante, Cheryl Weston, Braintree, MA, United States

Patel, Jay C., Braintree, MA, United States

Rogers, Patricia A., Hyde Park, MA, United States

PATENT ASSIGNEE(S): The Gillette Company, Boston, MA, United States (U.S.

corporation)

NUMBER KIND DATE

PATENT INFORMATION: US 5925338 19990720 APPLICATION INFO.: US 1997-790563 19970129 (8)

DOCUMENT TYPE: Utility
FILE SEGMENT: Granted
PRIMARY EXAMINER: Dees, Jose'

PRIMARY EXAMINER: Dees, Jose' G.
ASSISTANT EXAMINER: Williamson, Michael A.
LEGAL REPRESENTATIVE: Williams, Stephan P.

NUMBER OF CLAIMS: 16
EXEMPLARY CLAIM: 1
LINE COUNT: 387

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

The present invention is directed to a clear antiperspirant or deodorant gel composition which exhibits reduced staining while retaining excellent aethetic attributes and efficacy. The gel composition is a water-in-oil emulsion having a viscosity of about 50,000 to 250,000 cP, preferably about 100,000 to 200,000 cP. The water phase comprises about 75 to 90% of the composition and contains a deodorant or antiperspirant effective amount (e.g. about 3 to 25%) of an antiperspirant active dissolved therein. The oil phase comprises about 10 to 25% of the composition and contains a silicone oil and a polyether substituted silicone emulsifying agent. The silicone oil comprises a mixture of a non-volatile silicone, preferably a non-volatile linear silicone, and a volatile linear silicone. It has been found that reducing the amount of non-volatile silicone in the known gel composition to a relatively low level (e.g. below about 5%) and adding an amount of volatile linear silicone to the composition (e.g. above about 2%, preferably above about 5%) substantially improves the non-staining properties of the composition.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

=> s high peak 5 2532092 HIGH 314237 PEAK 10/700,026

3951113 5

L19 9 HIGH PEAK 5

(HIGH(W) PEAK(W)5)

=> s 118 and 119

6 L18 AND L19 L20

=> d 1-6 ibib abs

L20 ANSWER 1 OF 6 USPATFULL on STN

ACCESSION NUMBER: 2005:43241 USPATFULL

TITLE: Enhanced efficacy antiperspirant compositions

containing strontium or calcium

INVENTOR(S): Allen, Jan L., Silver Spring, MD, UNITED STATES

Shen, Yan-Fei, Canton, MA, UNITED STATES

PATENT ASSIGNEE(S): The Gillette Company (U.S. corporation)

NUMBER KIND DATE PATENT INFORMATION:

US 2005036967 A1 20050217 US 2003-641305 A1 20030814 (10) APPLICATION INFO.:

DOCUMENT TYPE: Utility FILE SEGMENT: APPLICATION

LEGAL REPRESENTATIVE: PATENT AND TRADEMARK COUNSEL, THE GILLETTE COMPANY, 800

BOYLSTON STREET, BOSTON, MA, 02199

NUMBER OF CLAIMS: 16 EXEMPLARY CLAIM: 1 LINE COUNT: 409

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

Disclosed are enhanced efficacy antiperspirant compositions containing a strontium salt and/or a calcium salt. In particular, there is disclosed an antiperspirant composition comprising a dermatologically acceptable carrier vehicle, about 8% to about 22% (USP) of an aluminum-zirconium chlorohydrate-gly antiperspirant salt, wherein the antiperspirant salt has an HPLC peak 5 area of at least 33%, and about 0.5% to about 15%, preferably about 1% to about 6%, by weight, of a water soluble salt selected from

the group consisting of a water soluble strontium salt, a water soluble calcium salt and a mixture thereof It has been found that the inclusion of a strontium salt and/or a calcium salt boosts the efficacy of a high peak 5 antiperspirant salt.

As a preferred feature, the antiperspirant salt and the water soluble salt are dissolved in at least a portion of the carrier vehicle.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L20 ANSWER 2 OF 6 USPATFULL on STN

ACCESSION NUMBER: 2004:177770 USPATFULL

TITLE: Aluminum-zirconium antiperspirant salts with

low M:Cl ratio

INVENTOR(S): Carrillo, Angel L., Wellesley, MA, UNITED STATES

Oryszczak, Richard, Palatine, IL, UNITED STATES

Shen, Yan-Fei, Canton, MA, UNITED STATES

PATENT ASSIGNEE(S): The Gillette Company (U.S. corporation)

NUMBER KIND DATE PATENT INFORMATION:

US 2004136934 A1 20040715 US 2003-700026 A1 20031103 (10) APPLICATION INFO.:

Continuation of Ser. No. US 2002-138476, filed on 3 May RELATED APPLN. INFO.:

2002, GRANTED, Pat. No. US 6649152 Continuation of Ser.

No. US 2000-696271, filed on 25 Oct 2000, GRANTED, Pat.

No. US 6436381

DOCUMENT TYPE: Utility
FILE SEGMENT: APPLICATION

LEGAL REPRESENTATIVE: PATENT AND TRADEMARK COUNSEL, THE GILLETTE COMPANY, 800

BOYLSTON STREET, BOSTON, MA, 02199

NUMBER OF CLAIMS: 21 EXEMPLARY CLAIM: 1

NUMBER OF DRAWINGS: 1 Drawing Page(s)

LINE COUNT: 642

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB Disclosed are enhanced efficacy aluminum-zirconium

antiperspirant salt compositions that have a metal (Al+Zr) to chloride (or anion) ratio of about 0.90 to about 1.00. These salts also typically exhibit an HPLC peak 5 area content of about 33% or more, preferably at least 45%, more preferably at least 50%, most preferably at least 55%. Especially preferred are aluminum-zirconium antiperspirant salt compositions which, in addition to the aforementioned high peak 5 content, also exhibit an HPLC peak 4 to peak 3 area ratio of at least 0.4, preferably at least 0.7. Also disclosed are methods of making such antiperspirant salt compositions and aqueous solutions of such

antiperspirant salt compositions and aqueous solutions of such antiperspirant salt compositions. Further disclosed are topical compositions comprising a dermatologically acceptable carrier vehicle and a perspiration reducing effective amount of an aluminum-zirconium antiperspirant salt composition as described above.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L20 ANSWER 3 OF 6 USPATFULL on STN

ACCESSION NUMBER: 2004:126430 USPATFULL

TITLE: Multi-portion antiperspirant composition

INVENTOR(S): Elliott, David L., North Attleboro, MA, UNITED STATES

Colwell, Dennis J., Mansfield, MA, UNITED STATES Sane, Jayant N., Framingham, MA, UNITED STATES

Vu, Tuan M., Canton, MA, UNITED STATES

Galante, Cheryl Lynn, Marshfield, MA, UNITED STATES

PATENT ASSIGNEE(S): The Gillette Company (U.S. corporation)

DOCUMENT TYPE: Utility
FILE SEGMENT: APPLICATION

LEGAL REPRESENTATIVE: PATENT AND TRADEMARK COUNSEL, THE GILLETTE COMPANY, 800

BOYLSTON STREET, BOSTON, MA, 02199

NUMBER OF CLAIMS: 25 EXEMPLARY CLAIM: 1

NUMBER OF DRAWINGS: 1 Drawing Page(s)

LINE COUNT: 728

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

Disclosed is a non-flowable anhydrous topical antiperspirant composition comprising a first portion and a second portion contiguous with the first portion. The first portion is semi-opaque to opaque and comprises a first hydrophobic carrier vehicle and a first gellant and has a particulate antiperspirant active suspended therein. The second portion is translucent to transparent and comprises a second hydrophobic carrier vehicle and a second gellant. Preferably, the second hydrophobic carrier vehicle has an average refractive index that approximately matches the refractive index of the second gellant.

Ideally, for greater translucency the second portion will be substantially free of antiperspirant salt and/or other opacifying materials. Preferably, the first hydrophobic carrier vehicle also has an average refractive index that approximately matches the refractive index of the first gellant. Even more preferably, the second hydrophobic carrier vehicle and second gellant are comprised of substantially the same materials in substantially the same proportions as the first hydrophobic carrier vehicle and first gellant.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L20 ANSWER 4 OF 6 USPATFULL on STN

ACCESSION NUMBER: 2003:29815 USPATFULL

TITLE: Aluminum-zirconium antiperspirant salts with

high peak 5 Al content

Carrillo, Angel L., Wellesley, MA, UNITED STATES INVENTOR(S):

Oryszczak, Richard, Palatine, IL, UNITED STATES

Shen, Yan-Fei, Canton, MA, UNITED STATES

PATENT ASSIGNEE(S): The Gillette Company (U.S. corporation)

NUMBER KIND DATE PATENT INFORMATION: US 2003021757 A1 20030130 US 6649152 В2 20031118 US 2002-138476 A1 APPLICATION INFO.: 20020503 (10)

RELATED APPLN. INFO.: Continuation of Ser. No. US 2000-696271, filed on 25

Oct 2000, GRANTED, Pat. No. US 6436381

DOCUMENT TYPE: Utility FILE SEGMENT: APPLICATION

LEGAL REPRESENTATIVE: PATENT AND TRADEMARK COUNSEL, THE GILLETTE COMPANY, 800

BOYLSTON STREET, BOSTON, MA, 02199

NUMBER OF CLAIMS: 29 EXEMPLARY CLAIM: 1

NUMBER OF DRAWINGS: 1 Drawing Page(s)

LINE COUNT: 669

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

Disclosed are enhanced efficacy aluminum-zirconium antiperspirant salt compositions which exhibit an HPLC peak 5 area content of about 33% or more, preferably at least 45%, more preferably at least 50%, most preferably at least 55%. Especially preferred are aluminum-zirconium antiperspirant salt compositions which, in addition to the aforementioned high peak 5 content, also exhibit an HPLC peak 4 to peak 3 area ratio of at least 0.4, preferably at least 0.7. The aforementioned salt compositions will preferably have a metal (Al+Zr) to chloride (or anion) ratio of about 0.90 to about 1.00. Also disclosed are methods of making such antiperspirant salt compositions

and aqueous solutions of such antiperspirant salt compositions. Further disclosed are topical compositions comprising a dermatologically acceptable carrier vehicle and a perspiration reducing effective amount of an aluminum-zirconium antiperspirant salt composition as described above.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L20 ANSWER 5 OF 6 USPATFULL on STN

ACCESSION NUMBER: 2002:209099 USPATFULL

TITLE: Aluminum-zirconium antiperspirant salts with

high peak 5 al content

INVENTOR(S): Carrillo, Angel L., Wellesley, MA, United States

Oryszczak, Richard, Palatine, IL, United States

Shen, Yan-Fei, Canton, MA, United States

PATENT ASSIGNEE(S): The Gillette Company, Boston, MA, United States (U.S.

corporation)

DATE NUMBER KIND -----US 6436381 B1 20020820 US 2000-696271 20001025 (9) PATENT INFORMATION:

APPLICATION INFO.: DOCUMENT TYPE: Utility

FILE SEGMENT: GRANTED

PRIMARY EXAMINER: Badio, Barbara P. LEGAL REPRESENTATIVE: Williams, Stephan P.

NUMBER OF CLAIMS: 40 EXEMPLARY CLAIM:

NUMBER OF DRAWINGS: 2 Drawing Figure(s); 1 Drawing Page(s)

LINE COUNT:

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

Disclosed are enhanced efficacy aluminum-zirconium antiperspirant salt compositions which exhibit an HPLC

peak 5 area content of about 33% or more. Especially preferred are aluminum-zirconium antiperspirant salt compositions which, in

addition to the aforementioned high peak 5

content, also exhibit an HPLC peak 4 to peak 3 area ratio of

at least 0.4. The aforementioned salt compositions will preferably have a metal (Al+Zr) to chloride (or anion) ratio of about 0.90 to about 1.00. Also disclosed are methods of making such antiperspirant salt compositions and aqueous solutions of such antiperspirant salt compositions. Further disclosed are topical compositions comprising a dermatologically acceptable carrier vehicle and a perspiration

reducing effective amount of an aluminum-zirconium antiperspirant salt composition as described above.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L20 ANSWER 6 OF 6 USPATFULL on STN

ACCESSION NUMBER: 2002:87982 USPATFULL

TITLE:

Antiperspirant and deodorant

compositions containing a low molecular weight

polyethylene gellant

INVENTOR(S): Clothier, Jr., James G., Boston, MA, United States

Carlson, Sr., Jeffrey R., Pembroke, MA, United States

Colwell, Dennis J., Mansfield, MA, United States

PATENT ASSIGNEE(S): The Gillette Company, Boston, MA, United States (U.S.

corporation)

NUMBER KIND DATE PATENT INFORMATION:

US 6375938 B1 20020423 US 2001-842560 20010426 (9) APPLICATION INFO.:

DOCUMENT TYPE: Utility FILE SEGMENT: GRANTED

PRIMARY EXAMINER: Dodson, Shelley A. LEGAL REPRESENTATIVE: Williams, Stephan P.

NUMBER OF CLAIMS: 24 EXEMPLARY CLAIM:

NUMBER OF DRAWINGS: 0 Drawing Figure(s); 0 Drawing Page(s)

LINE COUNT:

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

The present invention embraces an anhydrous topical antiperspirant or deodorant composition comprising an antiperspirant or deodorant active, a dermatologically acceptable volatile silicone liquid carrier vehicle and a polyethylene homopolymer dissolved in the vehicle to serve as a thickening or solidifying agent, wherein the polyethylene homopolymer has a molecular weight of about 200 to about 800 daltons, preferably about 300 to about 600 daltons, most preferably about 400 to about 500 daltons. The composition should be substantially free of any other organic or natural waxes. The present invention also embraces a method of inhibiting or reducing perspiration or a method of inhibiting or reducing malodor by topically applying an effective amount of such an antiperspirant composition or deodorant composition to the skin.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

```
=> s us6126928/pn
L21
            1 US6126928/PN
=> d his
     (FILE 'HOME' ENTERED AT 11:25:45 ON 07 APR 2005)
     FILE 'USPATFULL' ENTERED AT 11:26:01 ON 07 APR 2005
L1
              1 S US6375937/PN
L2
         207660 S EMULSION?
L3
              1 S L1 AND L2
L4
         596865 S OIL?
L5
              1 S L1 AND L4
L6
         245721 S OIL(P)WATER?
L7
              1 S L6 AND L1
          10653 S ANTIPERSPIRANT? OR DEODORANT?
L8
L9
            140 S ALUMINUM ZIRCONIUM SALT?
L10
            135 S L8 AND L9
L11
            805 S L8/TI
L12
             69 S L11 AND L10
          73098 S OIL-IN-WATER OR WATER-IN-OIL
L13
L14
             29 S L12 AND L13
L15
          80894 S GLYCINE?
L16
             27 S L14 AND L15
L17
          83861 S HPLC
L18
             11 S L16 AND L17
L19
              9 S HIGH PEAK 5
L20
              6 S L18 AND L19
L21
              1 S US6126928/PN
=> s 121 and 113
             0 L21 AND L13
=> s 11 and 113
             0 L1 AND L13
=> s 6066314/pn
            0 6066314/PN
=> s us6066314/pn
             1 US6066314/PN
=> s 125 and 113
L26
             0 L25 AND L13
```

comprising: (a) about 65% to about 99.5% by weight of the composition of an aqueous phase, said aqueous phase comprising: (i) a topically-effective amount of a topically-active compound, and (ii) water; (b) about 0.5% to about 35% by weight of the composition of an organic phase comprising a volatile silicone compound, a volatile hydrocarbon compound, or a mixture thereof; and (c) about 0.1% to about 15% by weight of the composition of a surfactant phase consisting essentially of a silicon-free surfactant blend having an HLB value of about 1 to about 10, said surfactant blend comprising a first surfactant having an HLB value of about 0.1 to about 10 and a second surfactant having an HLB greater than about 10.

=> d ibib abs

ANSWER 1 OF 1 USPATFULL on STN

96:60435 USPATFULL ACCESSION NUMBER:

TITLE:

INVENTOR(S):

Topically-effective compositions

Herb, Craig A., Chicago, IL, United States

Sun, Wei-Mei, Palatine, IL, United States

Walling, Priscilla M., Darien, IL, United States

Stiffe, Susan A., Peoria, IL, United States

PATENT ASSIGNEE(S):

Helene Curtis, Inc., Chicago, IL, United States (U.S.

corporation)

NUMBER	KIND	DATE

PATENT INFORMATION: APPLICATION INFO.:

US 5534246 19960709 US 1994-297659 19940829 (8) <--

DOCUMENT TYPE: Utility

FILE SEGMENT:

Granted PRIMARY EXAMINER: Ivy, C. Warren

ASSISTANT EXAMINER: Huang, Evelyn

LEGAL REPRESENTATIVE: Marshall, O'Toole, Gerstein, Murray & Borun

NUMBER OF CLAIMS: 43 EXEMPLARY CLAIM:

LINE COUNT: 1696

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

Roll-on or gel topically-effective compositions comprising a topically-active compound, a silicon-free surfactant or silicon-free surfactant blend having an HLB value of about 0.1 to about 10, an organic phase comprising a volatile silicone compound or a volatile hydrocarbon compound, and water.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

Connecting via Winsock to STN

```
Welcome to STN International! Enter x:x
```

fields

LOGINID:ssspta1503sxd

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

```
NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
NEWS 2 "Ask CAS" for self-help around the clock
NEWS 3 FEB 25 CA/CAPLUS - Russian Agency for Patents and Trademarks
(ROSPATENT) added to list of core patent offices covered
NEWS 4 FEB 28 PATDPAFULL - New display fields provide for legal status
data from INPADOC
NEWS 5 FEB 28 BABS - Current-awareness alerts (SDIs) available
NEWS 6 FEB 28 MEDLINE/LMEDLINE reloaded
NEWS 7 MAR 02 GBFULL: New full-text patent database on STN
NEWS 8 MAR 03 REGISTRY/ZREGISTRY - Sequence annotations enhanced
NEWS 9 MAR 03 MEDLINE file segment of TOXCENTER reloaded
NEWS 10 MAR 22 KOREAPAT now updated monthly; patent information enhanced
NEWS 11 MAR 22 Original IDE display format returns to REGISTRY/ZREGISTRY
NEWS 12 MAR 22 PATDPASPC - New patent database available
NEWS 13 MAR 22 REGISTRY/ZREGISTRY enhanced with experimental property tags
```

NEWS 14 APR 04 EPFULL enhanced with additional patent information and new

Welcome to STN International

NEWS EXPRESS JANUARY 10 CURRENT WINDOWS VERSION IS V7.01a, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 10 JANUARY 2005

NEWS 15 APR 04 EMBASE - Database reloaded and enhanced

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS INTER General Internet Information
NEWS LOGIN Welcome Banner and News Items
NEWS PHONE Direct Dial and Telecommunication Network Access to STN
NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 13:41:54 ON 07 APR 2005

=> file uspatfull
COST IN U.S. DOLLARS

FILE 'USPATFULL' ENTERED AT 13:42:00 ON 07 APR 2005
CA INDEXING COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

FILE COVERS 1971 TO PATENT PUBLICATION DATE: 7 Apr 2005 (20050407/PD)
FILE LAST UPDATED: 7 Apr 2005 (20050407/ED)
HIGHEST GRANTED PATENT NUMBER: US6877166
HIGHEST APPLICATION PUBLICATION NUMBER: US2005076416
CA INDEXING IS CURRENT THROUGH 7 Apr 2005 (20050407/UPCA)
ISSUE CLASS FIELDS (/INCL) CURRENT THROUGH: 7 Apr 2005 (20050407/PD)
REVISED CLASS FIELDS (/NCL) LAST RELOADED: Feb 2005
USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Feb 2005

- >>> USPAT2 is now available. USPATFULL contains full text of the <<< >>> original, i.e., the earliest published granted patents or <<< >>> applications. USPAT2 contains full text of the latest US <<< >>> publications, starting in 2001, for the inventions covered in <<< >>> USPATFULL. A USPATFULL record contains not only the original <<< >>> published document but also a list of any subsequent <<< >>> publications. The publication number, patent kind code, and <<< >>> publication date for all the US publications for an invention <<< >>> are displayed in the PI (Patent Information) field of USPATFULL <<< >>> records and may be searched in standard search fields, e.g., /PN, <<< >>> /PK, etc. <<< <<<
- >>> USPATFULL and USPAT2 can be accessed and searched together
 >>> through the new cluster USPATALL. Type FILE USPATALL to
 >>> enter this cluster.
 >>>
 Use USPATALL when searching terms such as patent assignees,
 >>> classifications, or claims, that may potentially change from
 </</pre>

<<<

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s us5955065/pn

L1 1 US5955065/PN

=> s oil-in-water

549667 OIL 1201547 WATER

L2 52428 OIL-IN-WATER

(OIL(1W)WATER)

>>> the earliest to the latest publication.

=> s 11 and 12

L3 1 L1 AND L2

=> d kwic

L3 ANSWER 1 OF 1 USPATFULL on STN

PI US 5955065 19990921

SUMM . . . octanoate. In U.S. Pat. No. 5,534,246 there are disclosed clear water-in-oil antiperspirant emulsions in which the refractive indices of the oil and water phases are matched. A variety of refractive index adjusting compounds are disclosed, one of which is calcium chloride. Examples 5. . .

```
L4
             1 US5534246/PN
=> s 12 and 14
             1 L2 AND L4
=> s aluminum
       578707 ALUMINUM
L6
=> s 15 and 16
            1 L5 AND L6
1.7
=> d kwic
L7
     ANSWER 1 OF 1 USPATFULL on STN
PΙ
       US 5534246
                               19960709
SUMM
       . . . Topically-delivered active compounds, such as an antiperspirant
       compound, skin care compound or topical medicament, conventionally have
       been prepared as either oil-in-water emulsions or
       water-in-oil emulsions. However, prior topically-effective compositions
       prepared as emulsions typically felt wet when applied to the skin. In.
SUMM
       . . . or suspensions. Emulsified antiperspirant compositions of these
       various forms are well-known in the cosmetic art. Antiperspirant
       compositions prepared as either oil-in-water
       emulsions or water-in-oil emulsions typically have a milky or opaque
       appearance and are manufactured by complex methods. An ideal emulsified.
SUMM
            . include a water phase and an oil phase. The oil phase often is
       suspended in the water phase (i.e., an oil-in-water
       emulsion) by using a sufficient amount of an appropriate emulsifier or
       emulsifiers. Oil-in-water emulsion products have a
       wet feel because the continuous external phase is aqueous. Water-in-oil
       emulsions, wherein the continuous external phase.
SUMM
       GB 2,079,300 discloses transparent silicone-containing oil-in-
      water emulsions prepared by the addition of a polyol. The
       emulsions include high HLB surfactants. U.S. Pat. No. 4,784,844
       discloses oil-in-water opaque to transparent
       silicone emulsions including up to 80% internal phase. Other patents
      disclosing silicone-containing oil-in-water
       emulsions include U.S. Pat. Nos. 4,122,029, 4,732,754, and 5,162,378.
       Patents disclosing silicone surfactants used in topically-effective
       compositions include U.S. Pat..
SUMM
       . . . antiperspirant compounds known in the art, such as the
      astringent salts. The astringent salts include organic and inorganic
       salts of aluminum, zirconium, zinc, and mixtures thereof. The
       anion of the astringent salt can be, for example, sulfate, chloride,
       chlorohydroxide, alum, formate, lactate, benzyl sulfonate or phenyl
      sulfonate. Exemplary classes of antiperspirant astringent salts include
      aluminum halides, aluminum hydroxyhalides, zirconyl
      oxyhalides, zirconyl hydroxyhalides, and mixtures thereof.
SUMM
      Exemplary aluminum salts include aluminum chloride
      and the aluminum hydroxyhalides having the general formula
      Al.sub.2 (OH).sub.x Q.sub.y.XH.sub.2 O, wherein Q is chlorine, bromine
      or iodine; x is about 2.
SUMM
      The antiperspirant compounds are water-soluble. Exemplary antiperspirant
      compounds therefore include, but are not limited to, aluminum
      bromohydrate, potassium alum, sodium aluminum chlorohydroxy
      lactate, aluminum sulfate, aluminum chlorohydrate,
      aluminum-zirconium tetrachlorohydrate, an aluminum
      -zirconium polychlorohydrate complexed with glycine, aluminum
      -zirconium trichlorohydrate, aluminum-zirconium
```

SUMM

SUMM

CLM

octachlorohydrate, aluminum sesquichlorohydrate, aluminum sesquichlorohydrex PG, aluminum chlorohydrex PEG, aluminum zirconium octachlorohydrex glycine complex, aluminum zirconium pentachlorohydrex glycine complex, aluminum zirconium tetrachlorohydrex glycine complex, aluminum zirconium trichlorohydrex glycine complex, aluminum chlorohydrex PG, zirconium chlorohydrate, aluminum dichlorohydrate, aluminum dichlorohydrex PEG, aluminum dichlorohydrex PG, aluminum sesquichlorohydrex PG, aluminum chloride, aluminum zirconium pentachlorohydrate, and mixtures thereof. Numerous other useful antiperspirant compounds are listed in WO 91/19222 and in the Cosmetic and. Preferred antiperspirant compounds are the aluminum-zirconium chlorides complexed with an amino acid, like glycine, and the aluminum chlorohydrates. Preferred aluminum-zirconium chloride glycine complexes have an aluminum (Al) to zirconium (Zr) ratio of about 1.67 to about 12.5, and a total metal (Al+Zr) to chlorine ratio (metal. . . . zinc-neomycin sulfate-hydrocortisone, chloramphenicol, methylbenzethonium chloride, and erythromycin and the like; antiparasitics, such as lindane; deodorants, such as chlorophyllin copper complex, aluminum chloride, aluminum chloride hexahydrate, and methylbenzethonium chloride; essentially all dermatologicals, like acne preparations, such as benzoyl peroxide, erythromycin-benzoyl peroxide, clindamycin phosphate, 5,7-dichloro-8-hydroxyquinoline,. . . . by weight of the total composition, all percents set forth the amount of each ingredient present in the composition; .sup.2) aluminum chlorohydrate (ACH), available commercially as CHLOROHYDROL, from Reheis, Inc. Berkeley Heights, New Jersey, added as a 50% weight percent solution. What is claimed is: 7. The composition of claim 1 wherein the antiperspirant compound is an astringent salt comprising aluminum, zirconium, zinc or a mixture thereof. 8. The composition of claim 1 wherein the antiperspirant compound is selected from the group consisting of aluminum bromohydrate, potassium alum, sodium aluminum chlorohydroxy lactate, aluminum sulfate, aluminum chlorohydrate, aluminum-zirconium tetrachlorohydrate, an aluminum -zirconium polychlorohydrate complexed with glycine, aluminum -zirconium trichlorohydrate, aluminum-zirconium octachlorohydrate, aluminum sesquichlorohydrate, aluminum sesquichlorohydrex PG, aluminum chlorohydrex PEG, aluminum zirconium octachlorohydrex glycine complex, aluminum zirconium pentachlorohydrex glycine complex, aluminum zirconium tetrachlorohydrex glycine complex, aluminum zirconium trichlorohydrex glycine complex, aluminum chlorohydrex PG, zirconium chlorohydrate, aluminum dichlorohydrate, aluminum dichlorohydrex PEG, aluminum dichlorohydrex PG, aluminum sesquichlorohydrex PG, aluminum chloride, aluminum zirconium pentachlorohydrate, and mixtures thereof.

said aqueous phase comprising (i) about 1% to about 40% by weight of the composition of an antiperspirant compound comprising aluminum chlorohydrate and (ii) water; (b) about 0.5% to about 35% by weight of the composition of an organic phase comprising. . .

=> d clm

- L7 ANSWER 1 OF 1 USPATFULL on STN CLM What is claimed is:
 - 1. An emulsified, water-in-oil antiperspirant composition comprising: (a) about 65% to about 99.5% by weight of the composition of an aqueous phase, said aqueous phase comprising (i) about 1% to about 40% by weight of the composition of an antiperspirant compound and (ii) water; (b) about 0.5% to about 35% by weight of the composition of an organic phase comprising a volatile silicone compound, a volatile hydrocarbon compound, or a mixture thereof; and (c) about 0.1% to about 15% by weight of the composition of a surfactant phase consisting essentially of a surfactant or a surfactant blend, wherein the surfactant or surfactant blend has an HLB value of about 10 or less and is free of silicon, and wherein the surfactant phase comprises a nonionic surfactant selected from the group consisting of a polyoxyethylene ether of a fatty (C.sub.6 -C.sub.22) alcohol, an ethoxylated alkylphenol, a polyethylene glycol ether of methyl glucose, a polyethylene glycol ether of sorbitol, and mixtures thereof.
 - 2. The composition of claim 1 further comprising a refractive index-adjusting compound to match the refractive index of the aqueous phase to the refractive index of the organic phase and provide a transparent composition.
 - 3. The composition of claim 2 wherein the composition has a % of transmittance at 700 nm of at least 50%.
 - 4. The composition of claim 1 wherein the composition is a liquid or a flowable semisolid having a viscosity of about 1,000 to about 100,000 centipoise.
 - 5. The composition of claim 1 wherein the antiperspirant compound is present in an amount of about 5% to about 30% by weight of the composition.
 - 6. The composition of claim 1 wherein the antiperspirant compound is present in an amount of about 10% to about 25% by weight of the composition.
 - 7. The composition of claim 1 wherein the antiperspirant compound is an astringent salt comprising **aluminum**, zirconium, zinc or a mixture thereof.
 - 8. The composition of claim 1 wherein the antiperspirant compound is selected from the group consisting of aluminum bromohydrate, potassium alum, sodium aluminum chlorohydroxy lactate, aluminum sulfate, aluminum chlorohydrate, aluminum sulfate, aluminum chlorohydrate, an aluminum zirconium tetrachlorohydrate, an aluminum zirconium polychlorohydrate complexed with glycine, aluminum circonium trichlorohydrate, aluminum-zirconium octachlorohydrate, aluminum sesquichlorohydrate, aluminum sesquichlorohydrate, aluminum chlorohydrex PG, aluminum zirconium octachlorohydrex glycine complex, aluminum zirconium tetrachlorohydrex glycine complex, aluminum zirconium trichlorohydrex glycine complex, aluminum zirconium trichlorohydrex glycine complex, aluminum chlorohydrex PG, zirconium chlorohydrate, aluminum dichlorohydrate, aluminum dichlorohydrate,

aluminum dichlorohydrex PG, aluminum sesquichlorohydrex PG, aluminum chloride, aluminum zirconium pentachlorohydrate, and mixtures thereof.

- 9. The composition of claim 1 wherein the organic phase is present in an amount of about 2% to about 20% by weight of the composition.
- 10. The composition of claim 1 wherein the volatile silicone compound has a viscosity of about 0.5 to about 6 centistokes.
- 11. The composition of claim 1 wherein the volatile silicone compound comprises a cyclic volatile silicone having a viscosity at 25° C. of about 2 to about 6 centistokes and a boiling point at 760 mm of about 150° C. to about 250° C.
- 12. The composition of claim 11 wherein the cyclic volatile silicone is a cyclomethicone.
- 13. The composition of claim 12 wherein the cyclomethicone is selected from the group consisting of hexamethylcyclotrisiloxane, octamethylcyclotetrasiloxane, decamethylcyclopentasiloxane, dodecamethylcyclohexasiloxane, and mixtures thereof.
- 14. The composition of claim 1 wherein the volatile silicone compound comprises a linear volatile silicone having a viscosity at 25 $^{\circ}$ C. of about 0.5 to about 5 centistokes and a boiling point at 760 mm of about 100 $^{\circ}$ C. to about 250 $^{\circ}$ C.
- 15. The composition of claim 14 wherein the linear volatile silicone is selected from the group consisting of hexamethyldisiloxane, octamethyltrisiloxane, decamethyltetrasiloxane, dodecamethylpentasiloxane, bisphenylhexamethicone, and mixtures thereof.
- 16. The composition of claim 1 wherein the volatile hydrocarbon compound has about 10 to about 30 carbon atoms.
- 17. The composition of claim 16 wherein the volatile hydrocarbon compound has about 12 to about 24 carbon atoms and has a boiling point at 760 mm of about 100° C. to about 250° C.
- 18. The composition of claim 1 wherein the volatile hydrocarbon compound has the structural formula: ##STR2## wherein n ranges from 2 to about 5, and mixtures.
- 19. The composition of claim 1 wherein the organic phase further comprises a nonvolatile organic compound.
- 20. The composition of claim 19 wherein the nonvolatile organic compound is selected from the group consisting of a mineral oil, phenyltrimethicone, a polydimethylsiloxane having a viscosity at 25° C. of about 6 to about 400 cs, an ester having about 10 to about 32 carbon atoms, 1-decene dimer, a polydecene, isoeicosane, a hydrogenated polybutene, and mixtures thereof.
- 21. The composition of claim 1 wherein the surfactant phase is present in an amount of about 0.1% to about 10% by weight of the composition.
- 22. The composition of claim 1 wherein the surfactant phase is present in an amount of about 0.5% to about 5% by weight of the composition.
- 23. The composition of claim 1 wherein the surfactant phase has an HLB

value of about 0.1 to about 10.

- 24. A method of treating or preventing malodors associated with human perspiration comprising topically applying an effective amount of an antiperspirant composition to human skin, said composition comprising: (a) about 65% to about 99.5% by weight of the composition of an aqueous phase, said aqueous phase comprising (i) about 1% to about 40% by weight of the composition of an antiperspirant compound and (ii) water; (b) about 0.5% to about 35% by weight of the composition of an organic phase comprising a volatile silicone compound, a volatile hydrocarbon compound, or a mixture thereof; and (c) about 0.1% to about 15% by weight of the composition of a surfactant phase consisting essentially of a surfactant or a surfactant blend, wherein the surfactant or surfactant blend has an HLB value of about 10 or less and is free of silicon, and wherein the surfactant phase comprises a nonionic surfactant selected from the group consisting of a polyoxyethylene ether of a fatty (C.sub.6 -C.sub.22) alcohol, an ethoxylated alkylphenol, a polyethylene glycol ether of methyl glucose, a polyethylene glycol ether of sorbitol, and mixtures thereof.
- 25. An emulsified, water-in-oil antiperspirant composition comprising: (a) about 65% to about 99.5% by weight of the composition of an aqueous phase, said aqueous phase comprising (i) about 1% to about 40% by weight of the composition of an antiperspirant compound and (ii) water; (b) about 0.5% to about 35% by weight of the composition of an organic phase comprising a volatile silicone compound, a volatile hydrocarbon compound, or a mixture thereof; and (c) about 0.1% to about 15% by weight of the composition of a surfactant phase consisting essentially of a surfactant or a surfactant blend, wherein the surfactant or surfactant blend has an HLB value of about 1 to about 7 and is free of silicon, and wherein the surfactant phase comprises a nonionic surfactant selected from the group consisting of a polyoxyethylene ether of a fatty (C.sub.6 -C.sub.22) alcohol, an ethoxylated alkylphenol, a polyethylene glycol ether of methyl glucose, a polyethylene glycol ether of sorbitol, and mixtures thereof.
- 26. An emulsified, water-in-oil antiperspirant composition comprising: (a) about 65% to about 99.5% by weight of the composition of an aqueous phase, said aqueous phase comprising (i) about 1% to about 40% by weight of the composition of an antiperspirant compound and (ii) water; (b) about 0.5% to about 35% by weight of the composition of an organic phase comprising a volatile silicone compound, a volatile hydrocarbon compound, or a mixture thereof; (c) about 0.1% to about 15% by weight of the composition of a surfactant phase consisting essentially of a surfactant or a surfactant blend, wherein the surfactant or surfactant blend has an HLB value of about 10 or less and is free of silicon, and wherein the surfactant phase comprises a nonionic surfactant selected from the group consisting of a polyoxyethylene ether of a fatty (C.sub.6 -C.sub.22) alcohol, an ethoxylated alkylphenol, a polyethylene glycol ether of methyl glucose, a polyethylene glycol ether of sorbitol, and mixtures thereof; and (d) an oil-soluble refractive index-adjusting compound to match the refractive index of the aqueous phase to the refractive index of the organic phase and provide a transparent composition.
- 27. An emulsified, water-in-oil antiperspirant composition comprising: (a) about 65% to about 99.5% by weight of the composition of an aqueous phase, said aqueous phase comprising (i) about 1% to about 40% by weight of the composition of an antiperspirant compound comprising aluminum chlorohydrate and (ii) water; (b) about 0.5% to about 35% by weight of the composition of an organic phase comprising

- cyclomethicone; and (c) about 0.1% to about 15% by weight of the composition of a surfactant phase consisting essentially of laureth-1.
- 28. The composition of claim 25 wherein the surfactant phase has an HLB value of about 3 to about 6.
- 29. The composition of claim 1 wherein the surfactant phase consists essentially of a single silicon-free surfactant having an HLB value of about 0.1 to about 10.
- 30. The composition of claim 1 wherein the surfactant phase consists essentially of a silicon-free surfactant blend having an HLB value of about 1 to about 10, said surfactant blend comprising a first surfactant having an HLB value of about 0.1 to about 10 and a second surfactant having an HLB greater than about 10.
- 31. The composition of claim 1 wherein the surfactant phase is selected from the group consisting of laureth-1, laureth-2, laureth-3, laureth-4, oleth-2, steareth-3, steareth-2, ceteth-2, oleth-3, an ethoxylated nonylphenol, ethoxylated octylphenol, ethoxylated dodecylphenol, ethoxylated fatty (C.sub.6 -C.sub.22) alcohol having 4 or fewer ethylene oxide moieties, and mixtures thereof.
- 32. The composition of claim 1 wherein the organic phase comprises a volatile silicone compound and the surfactant phase consists essentially of a silicon-free surfactant having a hydrophobic moiety having about 10 to about 14 carbon atoms.
- 33. The composition of claim 2 wherein the refractive index-adjusting compound is water soluble.
- 34. The composition of claim 31 wherein the water-soluble refractive index-adjusting compound is selected from the group consisting of calcium chloride, sodium chloride, zinc chloride, potassium iodide, zinc phenylsulfonate, a sugar, and mixtures thereof.
- 35. The composition of claim 26 wherein the oil-soluble refractive index-adjusting compound comprises a phenyltrimethicone.
- 36. The composition of claim 27 wherein calcium chloride is added to the aqueous phase to match the refractive index of the aqueous phase to the refractive index of the organic phase.
- 37. An emulsified, water-in-oil topically-effective composition comprising: (a) about 65% to about 99.5% by weight of the composition of an aqueous phase, said aqueous phase comprising: (i) a topically-effective amount of a topically-active compound, and (ii) water; (b) about 0.5% to about 35% by weight of the composition of an organic phase comprising a volatile silicone compound, a volatile hydrocarbon compound, or a mixture thereof; and (c) about 0.1% to about 15% by weight of the composition of a surfactant phase consisting essentially of a surfactant or a surfactant blend, wherein the surfactant or surfactant blend has an HLB value of about 10 or less and is free of silicon, and wherein the surfactant phase comprises a nonionic surfactant selected from the group consisting of a polyoxyethylene ether of a fatty (C.sub.6 -C.sub.22) alcohol, an ethoxylated alkylphenol, a polyethylene glycol ether of methyl glucose, a polyethylene glycol ether of sorbitol, and mixtures thereof.
- 38. The composition of claim 37 wherein the topically-active compound is present in an amount of 0.1% to about 40% by weight of the composition.

- 39. The composition of claim 38 wherein the topically-active compound is selected from the group consisting of a skin care agent, a topical medicament, a topically-effective drug, a topical anesthetic, a sunscreen agent, a topical cosmetic, a topical anti-inflammatory, an antibacterial compound, a dermatological compound, an antifungal compound, and mixtures thereof.
- 40. An emulsified water-in-oil topically-effective composition comprising: (a) about 65% to about 99.5% by weight of the composition of an aqueous phase, said aqueous phase comprising: (i) a topically-effective amount of a first topically-active compound, and (ii) water; (b) about 0.5% to about 35% by weight of the composition of an organic phase comprising: (i) a topically-effective amount of a second topically-active compound, and (ii) a volatile silicone compound, a volatile hydrocarbon compound, or a mixture thereof; and (c) about 0.1% to about 15% by weight of the composition of a surfactant phase consisting essentially of a surfactant or a surfactant blend, wherein the surfactant or surfactant blend has an HLB value of about 10 or less and is free of silicon, and wherein the surfactant phase comprises a nonionic surfactant selected from the group consisting of a polyoxyethylene glycol ether of a fatty (C.sub.6 -C.sub.22) alcohol, an ethoxylated alkylphenol, a polyethylene glycol ether of methyl glucose, a polyethylene ether of sorbitol, and mixtures thereof; and (d) a refractive index-adjusting compound to match the refractive index of the aqueous phase to the refractive index of the organic phase and provide a transparent composition.
- 41. An emulsified, water-in-oil topically-effective composition comprising: (a) about 65% to about 99.5% by weight of the composition of an aqueous phase, said aqueous phase comprising: (i) a topically-effective amount of a topically-active compound, and (ii) water; (b) about 0.5% to about 35% by weight of the composition of an organic phase comprising a volatile silicone compound, a volatile hydrocarbon compound, or a mixture thereof; (c) about 0.1% to about 15% by weight of the composition of a surfactant phase consisting essentially of a surfactant or a surfactant blend, wherein the surfactant or surfactant blend has an HLB value of about 10 or less and is free of silicon, and wherein the surfactant phase comprises a nonionic surfactant selected from the group consisting of a polyoxyethylene ether of a fatty (C.sub.6 -C.sub.22) alcohol, an ethoxylated alkylphenol, a polyethylene glycol ether of methyl glucose, a polyethylene glycol ether of sorbitol, and mixtures thereof; and (d) a refractive index-adjusting compound to match the refractive index of the aqueous phase to the refractive index of the organic phase and provide a transparent composition.
- 42. An emulsified, water-in-oil antiperspirant composition comprising: (a) about 65% to about 99.5% by weight of the composition of an aqueous phase, said aqueous phase comprising (i) about 1% to about 40% by weight of the composition of an antiperspirant compound and (ii) water; (b) about 0.5% to about 35% by weight of the composition of an organic phase comprising a volatile silicone compound, a volatile hydrocarbon compound, or a mixture thereof; and (c) about 0.1% to about 15% by weight of the composition of a surfactant phase consisting essentially of a silicon-free surfactant blend having an HLB value of about 1 to about 10, said surfactant blend comprising a first surfactant having an HLB value of about 0.1 to about 10 and a second surfactant having an HLB greater than about 10.
- 43. An emulsified, water-in-oil topically-effective composition